ERRATUM

Erratum to: Denaturation Properties and Folding Transition States of Leghemoglobin and Other Heme Proteins

Pijush Basak¹, Niloy Kundu², Rudradip Pattanayak¹, and Maitree Bhattacharyya^{1*}

¹Department of Biochemistry, University of Calcutta, 35 Ballygunge Circular Road, Kolkata-700019, India; fax: +91 (33) 2461-4849 ²Department of Chemistry, Indian Institute of Technology, Kharagpur-721302, India; fax: +91 (32) 2228_2252 ^ae-mail: bmaitree@gmail.com

> Received September 25, 2014 Revised November 20, 2014 Accepted November 20, 2014

DOI: 10.1134/S0006297925020026

The original article can be found online at https://doi.org/10.1134/S0006297915040100

In the published article by Basak et al. Figures 4 and 5 were given incorrectly. The Editorial Office would like to correct the figures with legends and apologizes for any inconvenience that it may have caused.

Figure 4 should be corrected as follows:




Fig. 4. Change in free energy for Leghemoglobin unfolding as a function of Urea (a) and guanidine hydrochloride (b) concentration. The experimental values of ΔG_D was derived from Equations (1) and (2) during unfolding transition measurement. The extrapolation of the line represents $\Delta G_{D,H20}$ for Urea = 0.56 Kcal·mol⁻¹ and $\Delta G_{D,H20}$ for GdnHCl = 1.70 Kcal·mol⁻¹.

ERRATUM 301

Figure 5 should be corrected as follows:




Fig. 5. Change in free energy for Myoglobin unfolding as a function of Urea (a) and guanidine hydrochloride (b) concentration. The experimental values of ΔG_D was derived from Equation (1) and (2) during unfolding transition measurement. The extrapolation of the line represents $\Delta G_{D,H20}$ for Urea = 3.00 Kcal·mol⁻¹ and $\Delta G_{D,H20}$ for GdnHCl = 2.268 Kcal·mol⁻¹.

Publisher's Note. Pleiades Publishing remains neutral with regard to jurisdictional claims in published maps and institutional affiliations. AI tools may have been used in the translation or editing of this article.